

May be used to comply with OSHA's Hazard Communication Standard (HCS), 29 CFR 1910, 1200. Standard must be consulted for specific requirements.

BUBBLEGUM STAMP RELEASE

SECTION I: IDENTIFICATION

Perk Products 42 Industry St. Nashville TN 37210

Emergency Telephone Number: I-800-535-5035 Telephone Number for Information: 615-242-6157

Product Name: Bubblegum Stamp Release Product Use: Concrete Release Agent

SECTION II: HAZARD IDENTIFICATION

Signal Word: DANGER

Hazard Classification:

Flammable Liquid, Catagory 4 AcuteToxicity, Oral, Catagory 4 Aspiration Hazard, Catagory I

Skin Corrosion/Irritation, Catagory 2 Serious Eye Damage/Irritation, Catagory 2B

Hazard Statements:

H227 - Combustible liquid.

H302 - Harmful if swallowed.

H304 - May be fatal if swallowed and enters airways.

H315 - Causes skin irritation.

H320 - Causes eye irritation.

Precautionary Statements:

P210 - Keep away from flames and hot surfaces. No smoking.

P264 – Wash hands thoroughly after handling.

P270 – Do no eat, drink or smoke when using this product.

P280 – Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P312 – IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P302 + P352 – IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P330 - Rinsemouth.

P332 + P313 – If skin irritation occurs: Get medical advice/attention.

P337 + P313 – If eye irritation persists: Get medical advice/attention.

P362 – Take off contaminated clothing and wash before reuse.

P370 + P378 – In case of fire: Use water spray(fog), foam, dry chemical, or carbon dioxide for extinction.

P403 + P235 – Store in a well-ventilated place. Keep cool.

P405 – Store locked up.

P501 - Dispose of contents/container to an approved waste disposal plant.

Hazard Pictograms:







May be used to comply with OSHA's Hazard Communication Standard (HCS), 29 CFR 1910, 1200. Standard must be consulted for specific requirements.

SECTION III: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components: CAS No. Percentage % Low Aromatic Parafinic distillate 64742-47-8 98-100%

SECTION IV - FIRST AID MEASURES

General Information: Immediately remove any clothing soiled by the product and launder before reuse. After inhalation: Remove to fresh air immediately. If breathing difficulty occurs give artificial respiration and GET MEDICAL HELP.

After skin contact: Wash with soap and water. Remove and launder contaminated clothing before reuse. If irritation occurs, GET MEDICAL HELP.

After eye contact: Flush thoroughly with water, lifting both eyelids. If irritation persists, GET MEDICAL HELP.

After ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious person. GET IMMEDIATE MEDICAL HELP.

Most Important Symptoms and Effects:

Acute: Ingestion if enters airways.

Delayed: Eye irritation.

SECTION V - FIRE AND EXPLOSION HAZARD DATA

Suitable Extinguishing Media: Water Spray(Fog), foam, dry chemical, carbon dioxide.

Unsuitable Extinguishing Media: None known Fire Hazard: Non-Flammable - Combustible

Explosion Hazard: None Reactivity: Not reactive.

Products of Combustion: CO, Organic vapors.

Special Hazards Arising from the Substance or Mixture: No further relevant information available. Special Remarks and Advice for Firefighters: Cool exposed containers with water spray until after fire is out. Wear self-contained breathing apparatus and firefighter's protective clothing.

SECTION VI – ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: Wear protective equipment (See section VIII). Keep unprotected persons away.

Methods and material for containment and cleaning up:

Spill Response: Absorb spill on inert material and place in a sealable container. Do not flush to drain or sewer. Allow remainder to evaporate with good ventilation.

Waste Disposal: Seal container and dispose of according to local, state and federal regulations. Environmental precautions: Marine pollutant.



May be used to comply with OSHA's Hazard Communication Standard (HCS), 29 CFR 1910, 1200. Standard must be consulted for specific requirements.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND STORAGE

Handling

Precautions for safe handling: Wash hands after using. Do not contaminate food or feed stuff. Additional Hazards: None.

Hygiene Measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

Storage

Storage Conditions: Store away from fire or sparking equipment. Store in original sealed container.

Storage Area: Store at room temperature.

Incompatible Products and Materials: None known.

SECTION VIII - EXPOSURE CONTROL MEASURES

Exposure Limits: (ACGIH) TWA 200mg/m³

Appropriate Engineering Controls: Local ventilation

Personal Protective Equipment:





Hand: Protective Gloves
Eye: Safety Glasses/Goggles
Skin and Body: None required.
Respiratory: None required.

Additional Information:



May be used to comply with OSHA's Hazard Communication Standard (HCS), 29 CFR 1910, 1200. Standard must be consulted for specific requirements.

SECTION IX-PHYSICAL/CHEMICAL CHARACTERISTICS

Appearance Form: Liquid

Color: Colorless to Straw

Odor: Bubblegum

pH-value: NA

Boiling Point/Boiling Range: 150°C - 290°C

Freezing Point: NE Flash Point: 60-67°C

Auto Igniting: Product is not self-igniting below 220°C

Vapor Pressure:

Vapor Density:

Viscosity:

Solubility:

Evaporation Rate:

NA

> I

NE

Insoluble

Flammability: Non-flammable

Decomposition Temperature: NE

SECTION X - REACTIVITY DATA

Conditions to be avoided: High temperatures. Strong Oxidizers.

Incompatible materials: None known.

Hazardous Decomposition Products: CO, Organic vapors.

Reactivity: Not reactive. Chemical Stability: Stable.

Possibility of Hazardous Reactions: None known.

SECTION XI - TOXICOLOGICAL INFORMATION

Acute toxicity: LD-50 > 5000mg/kg Rat Oral : LC-50 > 5mg/L/4hr, Rat Inhalation

Likely Route of Exposure:

Exposure Symptoms:

Eyes: Mild irritation.

Skin: Prolonged contact can cause redness, irritation, and dermatitis.

Inhalation: High concentrations may cause headaches, stupor, irritation of throat and eyes, and

kidney effects.

Ingestion: Low order of toxicity. Causes irritation of the stomach and intestines, resulting in nausea and vomiting, diarrhea.

Effects (Short-term, Long-term):

Immediate: Excessive inhalation.

Delayed: Skin irritation.

Chronic: Repeated skin exposure.

Carcinogenicity: No.

Sensitization: No sensitizing effects known.



May be used to comply with OSHA's Hazard Communication Standard (HCS), 29 CFR 1910, 1200. Standard must be consulted for specific requirements.

SECTION XII - ECOLOGICAL INFORMATION

Aquatic toxicity: Toxic to aquatic organisms.

Persistence and Degradability: Oxidizes on long term exposure to air.

Behavior in Environmental Systems: No further relevant information available.

Bioaccumulative Potential: No further relevant information available.

Mobility in Soil: NE

Other Adverse Effects: None known.

SECTION XIII - DISPOSAL CONSIDERATIONS

Recommendation: Dispose of unused material as prescribed by local and federal regulations.

Recommended Cleansing Agent: Soap and water.

Additional Information: Refer to Section 8

SECTION XIV-TRANSPORT INFORMATION

UN-Number: Not Regulated

UN Proper Shipping Name: Transport Hazard Class:

Packing Group:

Environmental Hazards: Toxic to aquatic organisms - Not

a marine pollutant.

Additional Information:

Special Precautions for User:

SECTION XV - OTHER REGULATORY INFORMATION

NFPA Ratings (Scale 0-4)



SECTION XVI - OTHERINFORMATION

Last Updated: 6/1/2015

NOTE: The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, express or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to silica contained in our products. End of SDS.